

**HOWELL TOWNSHIP
SEWER/WATER CONNECTION**

SEWER

1. **\$5,000.00** payable to Howell Township for connection Fee
2. Plumbing Permit - at Livingston County Building Department
3. Contractor (expense to homeowner):
Contractor must call Howell Township, 517-546-2817 Ext. 102 before opening trench for lead, failure to do so relieves Howell Township from any liability that may be incurred due to incorrectly locating trench.
 - a. To bring sewer line from structure to sewer lead at the road, and
 - b. To retrofit structure from septic to sewer if necessary.
4. Abandon septic system on existing structures, contact Health Department for details 517-546-9850.

WATER

1. **\$5,000.00 – if you have been assessed.**
\$8,500.00 – if you have NOT been assessed.
(\$5,000.00 Howell Township connection fee and \$3,500.00 MHOG connection fee).
2. Water Meter check payable to Howell Township:
See MHOG Meter Package sheet
3. Plumbing permit – at Livingston County Building Department
4. Contractor (expense to homeowner):
 - a. To bring water line from structure to water lead at the road, and
 - b. To retrofit structure from well to public water if necessary.
 - c. Contact MHOG to schedule for meter to be set – 800-881-4109
MHOG requires back flow prevention certification when installing the meter.
5. Contact Health Department for details on existing well detachment 517-546-9850.

At this time it is not mandatory to hook up to sewer and/or water. If one of the systems fails it is mandatory to hook up to that system.

****Sewer and Water District #8 had some opted in and opted out properties: opted out did not have the special assessment spread over twenty years. Again, it is mandatory to hook up to sewer and/or water in this district if one of the systems fails, even if property opted out. Please contact the Deputy Treasurer, 517-546-2817 Ext. 102 or office@howelltownshipmi.org for questions and the total amount that would be due prior to connection.**

Connection fees set at 12-2022 Township Board meeting – No increase for 2023